



Portfolio - Health and Adult Social Care 2022/2023

No of Indicators = 56 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.

Produced by the Business Intelligence Hub June 2023

| | | | Previous Years | | | 2022/2023 | | | | | Polarity | DOT |
|---|---------|---|----------------|-----------|-----------|-----------|--------|--------|--------|--------|------------|------------|
| | | Collection Frequency | 2019/2020 | 2020/2021 | 2021/2022 | Q1 | Q2 | Q3 | Q4 | Target | | |
| 00. Council Plan Indicators (2019-2023) | ASCOF1H | Proportion of adults in contact with secondary mental health services living independently, with or without support (New definition from 2021/22) | Monthly | 80.00% | 73.00% | 46.00% | 38.00% | 37.00% | 36.00% | - | Up is Good | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 58.00% | 58.00% | 26.00% | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 67.00% | 65.00% | 32.00% | - | - | - | - | | |
| | | National Rank (Rank out of 152) | Annual | 18 | 32 | 26 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 2 | 5 | 7 | - | - | - | - | | |
| | | Comparator Rank (Pre 2019-20 rank out of 16) (Current rank out of 21) | Annual | 4 | 5 | 4 | - | - | - | - | | |
| | ASCOF3A | Overall satisfaction of people who use services with their care and support | Annual | 68.10% | 72.30% | 65.10% | - | - | - | - | Up is Good | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 64.20% | 67.70% | 63.90% | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 64.00% | NC | 65.10% | - | - | - | - | | |
| | | National Rank (Rank out of 152) | Annual | 32 | NC | 61 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 3 | NC | 9 | - | - | - | - | | |
| | | Comparator Rank (Pre 2019-20 rank out of 16) (Current rank out of 21) | Annual | 6 | NC | 8 | - | - | - | - | | |
| | NCMP01 | % of reception year children recorded as being obese (single year) | Annual | 7.60% | NC | 8.90% | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 9.90% | 14.40% | 10.11% | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 10.50% | 15.30% | 10.96% | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | NC | 2 | - | - | - | - | | |
| | PHOF17 | Slope index of inequality in life expectancy at birth - Female - (Three year period) | Annual | 6.2 | 5.7 | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Regional Rank (Rank out of 15) | Annual | 3 | 3 | - | - | - | - | - | | |
| | PHOF37 | Slope index of inequality in life expectancy at birth - Male - (Three year period) | Annual | 8.3 | 8.4 | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Regional Rank (Rank out of 15) | Annual | 3 | 3 | - | - | - | - | - | | |
| | PHYS06 | % of adults (aged 16+) that are physically active (150+ moderate intensity equivalent minutes per week, excl. gardening) | Annual | 67.10% | 63.00% | 66.50% | - | 70.40% | - | - | Up is Good | ▲ Green |
| | | Benchmark - National Data | Annual | 62.80% | 60.90% | 61.40% | - | 63.10% | - | - | | |



Portfolio - Health and Adult Social Care 2022/2023

No of Indicators = 56 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.
Produced by the Business Intelligence Hub June 2023

| | | | | Previous Years | | | 2022/2023 | | | | | | |
|-----------------------|---------|---|----------------------|----------------|-----------|-----------|-----------|--------|--------|--------|--------|------------|---------------|
| | | | Collection Frequency | 2019/2020 | 2020/2021 | 2021/2022 | Q1 | Q2 | Q3 | Q4 | Target | Polarity | DOT |
| 01. Adult Social Care | ASC01b | % of contacts to ASC Community Team that are resolved with information/advice/guidance (IAG) | Monthly | 25.86% | 31.59% | 23.38% | 18.76% | 15.46% | 14.82% | 20.02% | - | Neutral | ◀▶ Neutral |
| | ASC01f | Percentage of reviews that result in a recommendation to reduce level of formal care and support (rolling 12 months) | Monthly | 4.87% | 5.36% | 8.26% | 7.45% | 8.67% | 10.53% | 11.99% | - | Up is Good | ▲ Green |
| | ASC14 | Total number of Adults receiving paid packages of care - (Snapshot) | Monthly | 2,123 | 2,158 | 2,037 | 2,071 | 2,114 | 2,068 | 2,090 | - | Neutral | ◀▶ Neutral |
| | ASCOF1E | Proportion of adults with a learning disability in paid employment | Annual | 8.70% | 7.70% | 7.50% | - | - | - | - | - | Up is Good | ▼ Red |
| | | Benchmark - National Data | Annual | 5.60% | 5.10% | 4.80% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 6.30% | 6.00% | 4.90% | - | - | - | - | - | | |
| | | National Rank (Rank out of 152) | Annual | 33 | 34 | 28 | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 4 | 5 | 2 | - | - | - | - | - | | |
| | | Comparator Rank (Pre 2019-20 rank out of 16) (Current rank out of 21) | Annual | 5 | 6 | 5 | - | - | - | - | - | | |
| | ASCOF1G | Proportion of adults with a learning disability who live in their own home or with family | Annual | 81.80% | 84.10% | 84.80% | - | - | - | - | - | Up is Good | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 77.30% | 78.30% | 78.80% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 80.90% | 81.60% | 79.90% | - | - | - | - | - | | |
| | | National Rank (Rank out of 152) | Annual | 59 | 49 | 56 | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 7 | 6 | 5 | - | - | - | - | - | | |
| | | Comparator Rank (Pre 2019-20 rank out of 16) (Current rank out of 21) | Annual | 10 | 10 | 10 | - | - | - | - | - | | |
| | ASCOF1H | Proportion of adults in contact with secondary mental health services living independently, with or without support (New definition from 2021/22) | Monthly | 80.00% | 73.00% | 46.00% | 38.00% | 37.00% | 36.00% | - | - | Up is Good | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 58.00% | 58.00% | 26.00% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 67.00% | 65.00% | 32.00% | - | - | - | - | - | | |
| | | National Rank (Rank out of 152) | Annual | 18 | 32 | 26 | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 2 | 5 | 7 | - | - | - | - | - | | |
| | | Comparator Rank (Pre 2019-20 rank out of 16) (Current rank out of 21) | Annual | 4 | 5 | 4 | - | - | - | - | - | | |



Portfolio - Health and Adult Social Care 2022/2023

No of Indicators = 56 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.

Produced by the Business Intelligence Hub June 2023

| | | | Previous Years | | | 2022/2023 | | | | | Polarity | DOT |
|-----------------------|-----------|---|----------------|-----------|-----------|-----------|----|----|----|--------|------------|------------|
| | | Collection Frequency | 2019/2020 | 2020/2021 | 2021/2022 | Q1 | Q2 | Q3 | Q4 | Target | | |
| 01. Adult Social Care | ASCOF111 | Proportion of people who use services who reported that they had as much social contact as they would like | Annual | 45.50% | 35.40% | 39.70% | - | - | - | - | Up is Good | ◄► Neutral |
| | | Benchmark - National Data | Annual | 45.90% | 34.40% | 40.60% | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 46.20% | NC | 40.20% | - | - | - | - | | |
| | | National Rank (Rank out of 152) | Annual | 87 | NC | 93 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 10 | NC | 11 | - | - | - | - | | |
| | | Comparator Rank (Pre 2019-20 rank out of 16) (Current rank out of 21) | Annual | 14 | NC | 17 | - | - | - | - | | |
| | ASCOF2A 1 | Long-term support needs met by admission to residential and nursing care homes, per 100,000 population (younger adults) | Annual | 19.2 | 13.3 | 22.1 | - | - | - | - | Up is Bad | ▲ Red |
| | | Benchmark - National Data | Annual | 14.6 | 13.3 | 13.9 | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 17.8 | 14.1 | 17.5 | - | - | - | - | | |
| | | National Rank (Rank out of 152) | Annual | 118 | 79 | 131 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 9 | 5 | 12 | - | - | - | - | | |
| | | Comparator Rank (Pre 2019-20 rank out of 16) (Current rank out of 21) | Annual | 18 | 10 | 21 | - | - | - | - | | |
| | ASCOF2A 2 | Long-term support needs met by admission to residential and nursing care homes, per 100,000 population (older people) | Annual | 539.6 | 347.3 | 499 | - | - | - | - | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | 584 | 498.2 | 538.5 | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 654.8 | 549.8 | 611.4 | - | - | - | - | | |
| | | National Rank (Rank out of 152) | Annual | 64 | 28 | 64 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 2 | 1 | 3 | - | - | - | - | | |
| | | Comparator Rank (Pre 2019-20 rank out of 16) (Current rank out of 21) | Annual | 6 | 1 | 7 | - | - | - | - | | |
| | ASCOF3A | Overall satisfaction of people who use services with their care and support | Annual | 68.10% | 72.30% | 65.10% | - | - | - | - | Up is Good | ◄► Neutral |
| | | Benchmark - National Data | Annual | 64.20% | 67.70% | 63.90% | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 64.00% | NC | 65.10% | - | - | - | - | | |
| | | National Rank (Rank out of 152) | Annual | 32 | NC | 61 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 3 | NC | 9 | - | - | - | - | | |
| | | Comparator Rank (Pre 2019-20 rank out of 16) (Current rank out of 21) | Annual | 6 | NC | 8 | - | - | - | - | | |



Portfolio - Health and Adult Social Care 2022/2023

No of Indicators = 56 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.

Produced by the Business Intelligence Hub June 2023

| | | | | Previous Years | | | 2022/2023 | | | | | | |
|-----------------------|---------|--|----------------------|----------------|-----------|-----------|-----------|--------|--------|--------|--------|------------|------------|
| | | | Collection Frequency | 2019/2020 | 2020/2021 | 2021/2022 | Q1 | Q2 | Q3 | Q4 | Target | Polarity | DOT |
| 01. Adult Social Care | ASCOF4A | Proportion of people who use services who feel safe | Annual | 70.50% | 76.10% | 69.20% | - | - | - | - | - | Up is Good | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 70.20% | 73.60% | 69.20% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 69.70% | NC | 69.30% | - | - | - | - | - | | |
| | | National Rank (Rank out of 152) | Annual | 75 | NC | 78 | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 9 | NC | 12 | - | - | - | - | - | | |
| | | Comparator Rank (Pre 2019-20 rank out of 16) (Current rank out of 21) | Annual | 12 | NC | 12 | - | - | - | - | - | | |
| | PVP02 | Number of permanent admissions to residential & nursing care homes for older people (65+) | Monthly | 201 | 172 | 217 | 65 | 60 | 37 | 24 | - | Up is Bad | ◀▶ Neutral |
| | PVP18 | Number of customers in long-term residential and nursing care at the period end - (Snapshot) | Monthly | 609 | 538 | 552 | 597 | 605 | 567 | 553 | - | Neutral | ◀▶ Neutral |
| | TAP09 | % of panel confident they could find information on support available to help people live independently | Quarterly | 74.74% | NC | 68.75% | 68.05% | - | 64.68% | - | - | Up is Good | ▼ Red |
| | | % of panel not confident they could find information on support available to help people live independently | Quarterly | 17.11% | NC | 20.91% | 22.41% | - | 28.83% | - | - | Up is Bad | ▲ Red |
| 02. Alcohol | LAPE03 | Alcohol-specific mortality: Males, all ages (per 100,000 population) | Annual | 12.2 | - | - | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 14.9 | - | - | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 17.7 | - | - | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 2 | - | - | - | - | - | - | - | | |
| | LAPE04 | Alcohol-specific mortality: Females, all ages (per 100,000 population) | Annual | 4.3 | - | - | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 7.1 | - | - | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 8.7 | - | - | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | - | - | - | - | - | - | - | | |
| | LAPE22 | % of alcohol users in treatment who successfully completed drug treatment (without representation within 6 months) | Quarterly | 32.11% | 27.10% | 26.50% | 22.01% | 23.84% | 27.07% | 26.63% | - | Up is Good | ▼ Red |
| | | Benchmark - National Data | Quarterly | 37.92% | 35.25% | 36.63% | 36.58% | 36.54% | 35.75% | 35.44% | - | | |



Portfolio - Health and Adult Social Care 2022/2023

No of Indicators = 56 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.
Produced by the Business Intelligence Hub June 2023

| | | | Previous Years | | | 2022/2023 | | | | | Polarity | DOT |
|---------------------|---------|--|----------------|-----------|-----------|-----------|----|----|----|--------|------------|------------|
| | | Collection Frequency | 2019/2020 | 2020/2021 | 2021/2022 | Q1 | Q2 | Q3 | Q4 | Target | | |
| 03. Life Expectancy | PHOF16 | Life Expectancy at birth - Female | Annual | 83.7 | 83.6 | - | - | - | - | - | Up is Good | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 83.4 | 83.1 | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 82.5 | 82.2 | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 3 | 2 | - | - | - | - | - | | |
| | PHOF17 | Slope index of inequality in life expectancy at birth - Female - (Three year period) | Annual | 6.2 | 5.7 | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Regional Rank (Rank out of 15) | Annual | 3 | 3 | - | - | - | - | - | | |
| | PHOF36 | Life Expectancy at birth - Male | Annual | 80.2 | 79.9 | - | - | - | - | - | Up is Good | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 79.8 | 79.4 | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 78.8 | 78.4 | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 3 | 3 | - | - | - | - | - | | |
| | PHOF37 | Slope index of inequality in life expectancy at birth - Male - (Three year period) | Annual | 8.3 | 8.4 | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Regional Rank (Rank out of 15) | Annual | 3 | 3 | - | - | - | - | - | | |
| 04. Mental Health | CHP32 | Hospital admissions as a result of self harm (10-24 years), per 100,000 population | Annual | 348.7 | 431.4 | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 439.2 | 421.9 | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 412.5 | 358.4 | - | - | - | - | - | | |
| | PHOF32 | Suicide rate (per 100,000 population) | Annual | 11.8 | 13.3 | 13.3 | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 10.1 | 10.4 | 10.4 | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 12 | 12.5 | 12.5 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 6 | 9 | 10 | - | - | - | - | | |
| | PHOF40 | Gap in employment rate for mental health clients and the overall employment rate | Annual | 58.00% | 56.60% | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 67.20% | 66.10% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 63.00% | 62.80% | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | 3 | - | - | - | - | - | | |
| | POPPI01 | Total population aged 65 and over predicted to have dementia | Annual | 2,834 | 2,927 | 2,954 | - | - | - | - | Up is Bad | ◀▶ Neutral |



Portfolio - Health and Adult Social Care 2022/2023

No of Indicators = 56 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.
Produced by the Business Intelligence Hub June 2023

| | | | Previous Years | | | 2022/2023 | | | | | Polarity | DOT |
|---------------|--------|--|----------------|-----------|-----------|-----------|----|----|----|--------|-----------|------------|
| | | Collection Frequency | 2019/2020 | 2020/2021 | 2021/2022 | Q1 | Q2 | Q3 | Q4 | Target | | |
| 05. Mortality | CHP02 | Child mortality rate (1-17 years), per 100,000 population | Annual | NA | NA | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 10.8 | 10.26 | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 12.01 | 12.3 | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | NA | NA | - | - | - | - | - | | |
| | PCMD01 | Number of deaths by suicide in York - Total (provisional rolling three year period) | Quarterly | 63 | 69 | 70 | - | - | - | - | Neutral | ◀▶ Neutral |
| | | Number of deaths by suicide in York - Male (provisional rolling three year period) | Quarterly | 51 | 56 | 55 | - | - | - | - | Neutral | ◀▶ Neutral |
| | | Number of deaths by suicide in York - Female (provisional rolling three year period) | Quarterly | 12 | 13 | 15 | - | - | - | - | Neutral | ◀▶ Neutral |
| | | Number of deaths by suicide in York - Death by suicide (X Codes) (provisional rolling three year period) | Quarterly | 54 | 58 | 57 | - | - | - | - | Neutral | ◀▶ Neutral |
| | | Number of deaths by suicide in York - Death by injury of undetermined intent (Y Codes) (provisional rolling three year period) | Quarterly | 9 | 11 | 13 | - | - | - | - | Neutral | ◀▶ Neutral |
| | PHOF33 | Excess Winter Deaths Index (all ages single year) | Annual | 7.6 | - | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 17.4 | - | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 16.6 | - | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | - | - | - | - | - | - | | |
| | PHOF46 | Under 75 mortality rate from causes considered preventable (2019 definition) (Persons, 1 year range) | Annual | 140.53 | 134.08 | 161.6 | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 140.62 | 140.47 | 183.2 | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 164.85 | 160.32 | 200.8 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 3 | 3 | 3 | - | - | - | - | | |
| | PHOF50 | Under 75 mortality rate from all cardiovascular diseases (per 100,000 population) - Male | Annual | 85.88 | 92.12 | 99 | - | - | - | - | Up is Bad | ▲ Red |
| | | Benchmark - National Data | Annual | 96.79 | 104.68 | 107.7 | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 106.92 | 115.18 | 122.9 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 2 | 2 | 2 | - | - | - | - | | |



Portfolio - Health and Adult Social Care 2022/2023

No of Indicators = 56 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.

Produced by the Business Intelligence Hub June 2023

| | | | Previous Years | | | 2022/2023 | | | | | Polarity | DOT |
|---------------|--------|--|----------------|-----------|-----------|-----------|----|----|----|--------|-----------|------------|
| | | Collection Frequency | 2019/2020 | 2020/2021 | 2021/2022 | Q1 | Q2 | Q3 | Q4 | Target | | |
| 05. Mortality | PHOF56 | Under 75 mortality rate from cancer - 1 year (per 100,000 population) - Male | Annual | 154.6 | 139.8 | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 140 | 137.6 | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 151.2 | 148.7 | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 9 | 3 | - | - | - | - | - | | |
| | PHOF62 | Under 75 mortality rate from liver disease (per 100,000 population) - Male | Annual | 11.53 | 19.05 | 16.5 | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 23.96 | 26.37 | 27.2 | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 26.35 | 27.9 | 28.7 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | 3 | 1 | - | - | - | - | | |
| | PHOF67 | Under 75 mortality rate from respiratory disease (per 100,000 population) - Male | Annual | 25.5 | 33.47 | 16.7 | - | - | - | - | Up is Bad | ▼ Green |
| | | Benchmark - National Data | Annual | 37.96 | 34.6 | 30.8 | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 45.61 | 40.53 | 35.3 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | 3 | 1 | - | - | - | - | | |
| | PHOF72 | Mortality from communicable diseases (per 100,000 population) | Annual | 8.09 | 8.1 | NA | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 9.09 | 8.25 | 9.4 | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 9.41 | 7.67 | 9.5 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 6 | 9 | NA | - | - | - | - | | |
| 06. Obesity | NCMP01 | % of reception year children recorded as being obese (single year) | Annual | 7.60% | NC | 8.90% | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 9.90% | 14.40% | 10.11% | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 10.50% | 15.30% | 10.96% | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | NC | 2 | - | - | - | - | | |
| | NCMP02 | % of children in Year 6 recorded as being obese (single year) | Annual | 22.10% | NC | 18.87% | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 21.00% | 25.50% | 23.45% | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 21.90% | 26.50% | 24.89% | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 7 | NC | 1 | - | - | - | - | | |



Portfolio - Health and Adult Social Care 2022/2023

No of Indicators = 56 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.
Produced by the Business Intelligence Hub June 2023

| | | | Previous Years | | | 2022/2023 | | | | | Polarity | DOT |
|---------------------------------|---------|--|----------------|-----------|-----------|-----------|----|--------|----|--------|------------|---------------|
| | | Collection Frequency | 2019/2020 | 2020/2021 | 2021/2022 | Q1 | Q2 | Q3 | Q4 | Target | | |
| 06. Obesity | PHOF01a | % of adults (aged 19+) that meet CMO recommendations for physical activity (150+ moderate intensity equivalent minutes per week) | Annual | 70.92% | 69.29% | - | - | - | - | - | Up is Good | ▼ Red |
| | | Benchmark - National Data | Annual | 66.38% | 65.94% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 65.37% | 65.23% | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | 3 | - | - | - | - | - | | |
| | PHOF02a | % of adults (aged 19+) that are physically inactive (<30 moderate intensity equivalent minutes per week) | Annual | 17.60% | 21.21% | - | - | - | - | 15% | Up is Bad | ▲ Red |
| | | Benchmark - National Data | Annual | 22.90% | 23.38% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 24.20% | 24.24% | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | 3 | - | - | - | - | - | | |
| | PHOF44a | % of adults (aged 18+) classified as overweight or obese (New definition) | Annual | 62.30% | 63.60% | - | - | - | - | - | Up is Bad | ▲ Red |
| | | Benchmark - National Data | Annual | 62.80% | 63.50% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 65.00% | 66.50% | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 4 | 4 | - | - | - | - | - | | |
| | PHYS06 | % of adults (aged 16+) that are physically active (150+ moderate intensity equivalent minutes per week, excl. gardening) | Annual | 67.10% | 63.00% | 66.50% | - | 70.40% | - | - | Up is Good | ▲ Green |
| | | Benchmark - National Data | Annual | 62.80% | 60.90% | 61.40% | - | 63.10% | - | - | | |
| 07. Public Health and Wellbeing | EH1 | Chlamydia detection rate per 100,000 aged 15 to 24 | Annual | 1,737 | 1,121 | 1,134 | - | - | - | - | Up is Good | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 2,050 | 1,407 | 1,334 | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 2,198 | 1,511 | 1,464 | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 11 | 12 | 12 | - | - | - | - | | |
| | EH2 | Proportion of population aged 15 to 24 screened for chlamydia (%) | Annual | 23.90% | 16.60% | 17.50% | - | - | - | - | Up is Good | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 20.40% | 14.30% | 14.80% | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 20.60% | 15.00% | 15.30% | - | - | - | - | | |
| | | Regional Rank (1 is Good) (Rank out of 15) | Annual | 2.00% | 3.00% | 3.00% | - | - | - | - | | |
| | PHOF06a | Under 18 conceptions (per 1,000 females aged 15-17) (Rolling 12 Months) | Quarterly | 15.9 | 9.9 | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Quarterly | 15.3 | 12.2 | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Quarterly | 19.2 | 15.4 | - | - | - | - | - | | |



Portfolio - Health and Adult Social Care 2022/2023

No of Indicators = 56 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.

Produced by the Business Intelligence Hub June 2023

| | | | Previous Years | | | 2022/2023 | | | | | | | |
|---------------------------------|---------|--|----------------------|-----------|-----------|-----------|----|----|----|----|--------|------------|---------------|
| | | | Collection Frequency | 2019/2020 | 2020/2021 | 2021/2022 | Q1 | Q2 | Q3 | Q4 | Target | Polarity | DOT |
| 07. Public Health and Wellbeing | PHOF27 | Under 18 conceptions: conceptions in those aged under 16 (per 1,000 females aged 13-15) (Calendar Year) | Annual | 3.4 | 2.3 | 1.7 | - | - | - | - | - | Up is Bad | ▼ Green |
| | | Benchmark - National Data | Annual | 2.5 | 2 | 2.1 | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 3.6 | 2.8 | 3.2 | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 6 | 5 | 2 | - | - | - | - | - | | |
| | PHOF79 | HIV late diagnosis | Annual | 56.30% | 53.30% | - | - | - | - | - | - | Up is Bad | ▼ Green |
| | | Benchmark - National Data | Annual | 43.20% | 42.40% | - | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 51.60% | 47.70% | - | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 11 | 9 | - | - | - | - | - | - | | |
| | PHOF31 | % of eligible population aged 40-74 who received an NHS Health Check (quarterly from April 2013) | Quarterly | 2.40% | 0.00% | 1.90% | - | - | - | - | - | Up is Good | ▲ Green |
| | | Benchmark - National Data | Quarterly | 7.70% | 1.20% | 3.50% | - | - | - | - | - | | |
| | PHOF91 | % of eligible population aged 40-74 offered an NHS Health Check (quarterly from April 2013) | Quarterly | 17.50% | 0.00% | 1.90% | - | - | - | - | - | Up is Good | ▲ Green |
| | | Benchmark - National Data | Quarterly | 17.70% | 3.10% | 8.60% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Quarterly | 15.60% | 2.40% | 5.50% | - | - | - | - | - | | |
| | PHOF92 | % of eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check (quarterly from April 2013) | Quarterly | 13.90% | 0.00% | 100.00% | - | - | - | - | - | Up is Good | ▲ Green |
| | | Benchmark - National Data | Quarterly | 43.70% | 39.00% | 40.50% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Quarterly | 45.70% | 42.20% | 41.00% | - | - | - | - | - | | |
| 08. Smoking | PHOF10 | % of women who smoke at the time of delivery - (CYC) | Quarterly | 10.40% | 10.30% | 8.00% | - | - | - | - | 5% | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Quarterly | 10.40% | 9.60% | 9.10% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Quarterly | 14.00% | 13.10% | 12.00% | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 1 | 3 | 1 | - | - | - | - | - | | |
| | PHOF187 | Smoking prevalence among adults aged 18-64 in routine and manual occupations (APS) (2020 definition) | Annual | 26.90% | 22.30% | - | - | - | - | - | 5% | Up is Bad | ◄► Neutral |
| | | Benchmark - National Data | Annual | 24.50% | 24.50% | - | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 27.60% | 25.50% | - | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 6 | 5 | - | - | - | - | - | - | | |



Portfolio - Health and Adult Social Care 2022/2023

No of Indicators = 56 | Direction of Travel (DoT) shows the trend of how an indicator is performing against its Polarity over time.
Produced by the Business Intelligence Hub June 2023

| | | | | Previous Years | | | 2022/2023 | | | | | | |
|---------------------|---------|--|----------------------|----------------|-----------|-----------|-----------|--------|--------|--------|--------|------------|------------|
| | | | Collection Frequency | 2019/2020 | 2020/2021 | 2021/2022 | Q1 | Q2 | Q3 | Q4 | Target | Polarity | DOT |
| 08. Smoking | PHOF188 | Smoking Prevalence in adults (18+) - current smokers (APS) (2020 definition) | Annual | 11.90% | 11.70% | 9.20% | - | - | - | - | 5% | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | 13.90% | 13.80% | 13.00% | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 15.70% | 14.70% | 14.10% | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | 2 | 3 | 1 | - | - | - | - | - | | |
| | PHOF189 | Odds of current smoking (self-reported) among adults aged 18-64 with a routine and manual occupation (APS) (2020 definition) | Annual | - | 2.2 | - | - | - | - | - | - | Up is Bad | ◀▶ Neutral |
| | | Benchmark - National Data | Annual | - | 2.2 | - | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | - | 2.2 | - | - | - | - | - | - | | |
| | | Regional Rank (Rank out of 15) | Annual | - | 10 | - | - | - | - | - | - | | |
| 09. Substance Abuse | CHP23 | Hospital admissions due to substance misue (15-24 years), per 100,000 population | Annual | 68.4 | 63.7 | - | - | - | - | - | - | Up is Bad | ▼ Green |
| | | Benchmark - National Data | Annual | 84.7 | 81.2 | - | - | - | - | - | - | | |
| | | Benchmark - Regional Data | Annual | 84.1 | 77.5 | - | - | - | - | - | - | | |
| | PHOF76 | % of opiate users in treatment who successfully completed drug treatment (without representation within 6 months) | Quarterly | 6.34% | 3.40% | 4.38% | 3.82% | 5.53% | 5.35% | 5.42% | - | Up is Good | ▲ Green |
| | | Benchmark - National Data | Quarterly | 5.69% | 4.86% | 5.04% | 5.02% | 5.06% | 5.02% | 4.95% | - | | |
| | PHOF77 | % of non-opiate users in treatment who successfully completed drug treatment (without representation within 6 months) | Quarterly | 27.71% | 29.30% | 26.50% | 24.78% | 21.40% | 19.92% | 20.00% | - | Up is Good | ▼ Red |
| | | Benchmark - National Data | Quarterly | 34.24% | 32.49% | 34.55% | 34.28% | 33.84% | 32.78% | 31.99% | - | | |
| 10. Large Projects | CORP10L | Large Project - Local Plan | Quarterly | Amber | Amber | Amber | Amber | Amber | Amber | Amber | - | Neutral | ◀▶ Neutral |
| | | Large Project - Mental Health and Housing Support | Quarterly | - | Green | Amber | Red | Red | - | - | - | Neutral | ◀▶ Neutral |
| | | Large Project - Connecting Our City | Quarterly | - | - | - | - | Green | Green | Green | - | Neutral | ◀▶ Neutral |
| | | Large Project - Responsive Care and Support Pathway Redesign | Quarterly | - | - | - | - | - | - | Green | - | Neutral | ◀▶ Neutral |